

# SAFETY DATA SHEET COOLELF SUPRA

**SDS #**: 32127

### Section 1. Identification

Product identifier : COOLELF SUPRA

#### Recommended use of the chemical and restrictions on use

**Identified uses** 

Antifreezes Coolants

#### Supplier's details

TotalEnergies Lubrifiants 562 Avenue du Parc de L'ile 92029 Nanterre Cedex FRANCE Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71

rm.msds-lubs@totalenergies.com

TotalEnergies Marketing Services

Direction Afrique 24 cours Michelet 92800 PUTEAUX

**FRANCE** 

Tel: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 82 88

See section 16 to have the contact details of the local supplier

### **Emergency telephone**

number

+44 1235 239671

To speak to an interlocutor in Portuguese or Spanish: +44 1235 239670

### Section 2. Hazard identification

Classification of the substance or mixture

: ACUTE TOXICITY (oral) - Category 5

SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

### **GHS label elements**

Hazard pictograms :



Signal word : Warning

**Hazard statements** : H303 - May be harmful if swallowed.

H373 - May cause damage to organs through prolonged or repeated exposure.

(kidneys)

**Precautionary statements** 

General : If medical advice is needed, have product container or label at hand. Keep out of

reach of children.

**Prevention**: Do not breathe gas, vapor or spray.

Date of revision : 2023/07/13 Africa ENGLISH Version :1 1/13



**SDS#:** 32127

### Section 2. Hazard identification

Response

: IF SWALLOWED: Immediately call a POISON CENTER or doctor.

**Storage** 

: Not applicable.

**Disposal** 

Dispose of contents and container in accordance with all local, regional, national

and international regulations.

Other hazards which do not : None known.

result in classification

### Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	% (w/w)	Identifiers
ethylene glycol	≥25 - ≤50	107-21-1

#### **Additional information**

: Product with ethylene-glycol base. This product contains an approved repellant (bitter), for the purpose of avoiding the risk of accidental ingestion.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

### **Description of necessary first aid measures**

**Eye contact** 

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell.

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if feeling unwell. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Take victim immediately to hospital SYMPTOMS MAY NOT APPEAR IMMEDIATELY Wash out mouth with water. Remove dentures if any. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

### Potential acute health effects

**Eye contact** : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. **Skin contact** : No known significant effects or critical hazards.

Date of revision : 2023/07/13 **ENGLISH** Africa Version : 1 2/13



**SDS#:** 32127

### Section 4. First aid measures

: May be harmful if swallowed. Ingestion

Over-exposure signs/symptoms

**Eye contact** : No specific data. Inhalation : No specific data. Skin contact : No specific data.

Ingestion : Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and, in extreme cases, loss of consciousness. nausea or vomiting

abdominal cramps and pain convulsive seizures Can cause central nervous

system (CNS) depression.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Rinse mouth. Induce vomiting, but only if victim is fully conscious Ingestion,

> depending on the dose, can cause i.a. abnormal behaviour, unconsciousness, convulsions, respiratory paralysis, pulmonary oedemas, as well as damages to liver and kidneys and can lead, in the worst case, to death. A quick treatment of an ethylene-glycol intoxication, when necessary with haemodialysis, may reduce the toxical effects. Intravenous ethyl alcohol in sodium bicarbonate solution is an

approved antitoxin.

Specific treatments : No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It

may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

#### See toxicological information (Section 11)

### Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing

media

: Use dry chemical, CO<sub>2</sub>, alcohol-resistant foam or water spray (fog).

**Unsuitable extinguishing** 

media

: Do not use water jet.

Specific hazards arising from the chemical

Hazardous thermal decomposition products : In a fire or if heated, a pressure increase will occur and the container may burst.

: carbon monoxide carbon dioxide Ketone.

Aldehyde.

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective** equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

**ENGLISH** Date of revision : 2023/07/13 Africa Version: 1 3/13



**SDS#:** 32127

### Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** 

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

**Small spill** 

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### Section 7. Handling and storage

#### **Precautions for safe handling**

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Date of revision **ENGLISH** : 2023/07/13 Africa Version: 1 4/13



**SDS #**: 32127

### Section 8. Exposure controls/personal protection

#### **Control parameters**

#### Occupational exposure limits UN

Product/substance	Exposure limit values
ethylene glycol	ACGIH TLV (United States, 1/2022).
	STEL: 10 mg/m³ 15 minutes. Form: Inhalable fraction. Aerosol only.
	STEL: 50 ppm 15 minutes. Form: Vapor fraction TWA: 25 ppm 8 hours. Form: Vapor fraction

### **Biological exposure indices UN**

No exposure indices known.

#### Occupational exposure limits Egypt

Product/substance	Exposure limit values
None.	

### **Biological exposure indices Egypt**

No exposure indices known.

#### Occupational exposure limits Lesotho

Product/substance	Exposure limit values
None.	

#### **Biological exposure indices Lesotho**

No exposure indices known.

### Occupational exposure limits South Africa

Product/substance	Exposure limit values
ethylene glycol	DOL OEL (South Africa, 3/2021). Absorbed through skin. Notes: Occupational exposure limit – restricted limit STEL: 20 mg/m³ 15 minutes. Form: Aerosol TWA: 50 ppm 8 hours. Form: Vapour fraction STEL: 100 ppm 15 minutes. Form: Vapour fraction

#### **Biological exposure indices South Africa**

No exposure indices known.

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

**Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Advisory OEL : No known significant effects or critical hazards.

#### **Individual protection measures**

Date of revision : 2023/07/13 Africa ENGLISH Version :1 5/13



**SDS #**: 32127

### Section 8. Exposure controls/personal protection

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

**Skin protection** 

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Neoprene gloves. Polyvinylchloride nitrile rubber

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

: Ensure adequate ventilation and check that a safe, breathable atmosphere is present before entry into confined spaces. In case of insufficient ventilation, wear suitable respiratory equipment. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.

## Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature (20°C / 68°F) and pressure (1013 hPa) unless otherwise indicated

**Appearance** 

Physical state : Liquid. [limpid]

Color : Yellow.
Odor : Mild.

Odor threshold : Not available. pH : 8 to 8.4

Melting point/freezing point: -25.2°C (-13.4°F) [EN ISO 3016]Boiling point: 109°C (228.2°F) [EN ISO 3405]Flash point: Open cup: Not applicable.

Evaporation rate : Not available.
Flammability (solid, gas) : Not applicable.

Date of revision : 2023/07/13 Africa ENGLISH Version :1 6/13



**SDS#:** 32127

### Section 9. Physical and chemical properties and safety characteristics

Lower and upper explosive

(flammable) limits

: Not available.

Vapor pressure

: Not applicable. [50°C]

Vapor density

: Not available.

**Relative density** 

: 1.058 [ISO EN 3675]

**Density** 

: 1.058 g/cm3 [20°C] [ISO EN 3675]

Solubility(ies)

Media Result water

Easily soluble

Miscible with water

: Yes.

Partition coefficient: n-

octanol/water

**Viscosity** 

: Not applicable.

**Auto-ignition temperature Decomposition temperature** 

: Not available. : Not available. : Not available.

: Not available.

Flow time (ISO 2431)

**Particle characteristics** 

Median particle size

: Not applicable.

### Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** : Stable under recommended storage and handling conditions (see Section 7).

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid** : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

Incompatible materials Strong oxidizing agents

> strong acids nitrates peroxides chlorates

**Hazardous decomposition** 

products

: carbon monoxide carbon dioxide

> Ketone. Aldehyde.

Date of revision **ENGLISH** 7/13 : 2023/07/13 Africa Version: 1



otalEnergies sps #: 32127

### **Section 11. Toxicological information**

### Information on toxicological effects

#### **Acute toxicity**

Product/substance	Result	Species	Dose	Exposure	Test
ethylene glycol	LC50 Inhalation Dusts and mists	Rat	>2500 mg/m <sup>3</sup>	6 hours	-
	LD50 Dermal	Mouse	>3500 mg/kg	-	-
	LD50 Oral LD50 Oral	Cat Rat	1600 mg/kg 7712 mg/kg	-	-

**Conclusion/Summary** 

: Based on available data, the classification criteria are met.

**Irritation/Corrosion** 

Skin: Based on available data, the classification criteria are not met.Eyes: Based on available data, the classification criteria are not met.Respiratory: Based on available data, the classification criteria are not met.

**Sensitization** 

Skin : Based on available data, the classification criteria are not met.Respiratory : Based on available data, the classification criteria are not met.

**Mutagenicity** 

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

**Carcinogenicity** 

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

**Reproductive toxicity** 

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

**Teratogenicity** 

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Not available.

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure)

Name	3.3	Route of exposure	Target organs
ethylene glycol	Category 2	oral	kidneys

Conclusion/Summary

: Based on available data, the classification criteria are met.

**Aspiration hazard** 

Not available.

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

Information on the likely routes of exposure

: Not available.

Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

**Ingestion** : May be harmful if swallowed.

Date of revision : 2023/07/13 Africa ENGLISH Version :1 8/13



**SDS #**: 32127

### Section 11. Toxicological information

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.

Inhalation : No specific data.

Skin contact : No specific data.

**Ingestion** : Symptoms and signs include headache, dizziness, fatigue, muscular weakness,

drowsiness and, in extreme cases, loss of consciousness. nausea or vomiting abdominal cramps and pain convulsive seizures Can cause central nervous

system (CNS) depression.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

**Long term exposure** 

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

#### Potential chronic health effects

Product/substance	Result	Species	Dose	Exposure
ethylene glycol	Chronic NOAEL Oral	Rat - Male	150 mg/kg	12 months

**General**: May cause damage to organs through prolonged or repeated exposure.

Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Reproductive toxicity : No known significant effects or critical hazards.

#### **Numerical measures of toxicity**

#### **Acute toxicity estimates**

Product/substance	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	(vapors)	Inhalation (dusts and mists) (mg/l)
COOLELF SUPRA ethylene glycol	3809.5 1600		N/A N/A	N/A N/A	N/A N/A

Other information :

Not available.

Date of revision : 2023/07/13 Africa ENGLISH Version :1 9/13



**SDS #**: 32127

### **Section 12. Ecological information**

#### **Toxicity**

Product/substance	Result	Species	Exposure	Test
ethylene glycol	Acute EC10 >1995 mg/l	Micro-organism - Activated sludge	30 minutes	ISO 8192
	Acute EC50 6500 to 13000 mg/l	Algae - Selenastrum capricornutum	96 hours	EPA
	Acute EC50 13900 to 57600 mg/l Fresh water	Daphnia	48 hours	OECD 202
	Acute LC50 49000 mg/l Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hours	ASTM
	Acute LC50 72860 mg/l	Fish - Pimephales promelas	96 hours	OECD 203
	Chronic EC10 100 mg/l	Algae - Selenastrum capricornutum	-	-
	Chronic NOEC 8590 mg/l	Crustaceans - Ceriodaphnia dubia	7 days	EPA 600/4-89/001
	Chronic NOEC 15380 mg/l	Fish - Pimephales promelas	7 days	EPA 600/4-89/001

#### Persistence and degradability

Product/substance	Test	Result		Dose	Inoculum
ethylene glycol	OECD 301A	90 % - Readily - 10	days	-	Activated sludge
Product/substance	Aquatic half-lif	е	Photolysis	3	Biodegradability
ethylene glycol	-		-		Readily

#### **Bioaccumulative potential**

Product/substance	LogK <sub>ow</sub>	BCF	Potential
ethylene glycol	-1.36	-	Low

### **Mobility in soil**

Soil/water partition coefficient (Koc)

: Not available.

Mobility in soil : Given its physical a

: Given its physical and chemical characteristics, the product is generally mobile in the ground the product may evaporate Soluble in water

Other adverse effects : No known significant effects or critical hazards.

### Section 13. Disposal considerations

### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its

Date of revision : 2023/07/13 Africa ENGLISH Version :1 10/13



**SDS #**: 32127

### Section 13. Disposal considerations

container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### **Section 14. Transport information**

	ADR	IMDG	ICAO/IATA
UN/ID No	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

Transport in bulk according : Not available.

to IMO instruments

### Section 15. Regulatory information

#### International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### **Montreal Protocol**

Not listed.

### **Stockholm Convention on Persistent Organic Pollutants**

Not listed.

#### **Rotterdam Convention on Prior Informed Consent (PIC)**

Not listed.

### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

### **Inventory list**

Australia inventory (AIIC)

Canada inventory (DSL/NDSL)

China inventory (IECSC)

Europe inventory (EC)

: All components are listed or exempted.

: All components are listed or exempted.

: All components are listed or exempted.

Date of revision : 2023/07/13 Africa ENGLISH Version :1 11/13



**SDS #**: 32127

### Section 15. Regulatory information

Japan inventory : Japan inventory (CSCL): All components are listed or

exempted.

Japan inventory (ISHL): All components are listed or

exempted.

New Zealand Inventory of Chemicals (NZIoC) : All components are listed or exempted.

Philippines inventory (PICCS) : All components are listed or exempted.

Korea inventory (KECI) : All components are listed or exempted.

Taiwan Chemical Substances Inventory (TCSI) : All components are listed or exempted.

Thailand inventory : All components are listed or exempted.

**Turkey inventory** : All components are listed or exempted.

United States inventory (TSCA 8b) : All components are listed or exempted.

Vietnam inventory : All components are listed or exempted.

The information stated in this section relates solely to the conformity of the chemical product with the countries Inventories. The information used to confirm the inventory status of this product may be based on additional data to the chemical composition shown in Section 3. Other regulations may apply for importation or marketing authorizations.

### Section 16. Other information

**History** 

Date of revision : 2023/07/13

previous revision date : No previous validation

Version : 1

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available SGG = Segregation Group

300 - Segregation Group

UN = United Nations

#### Procedure used to derive the classification

Classification	Justification
ACUTE TOXICITY (oral) - Category 5	Calculation method
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2	Calculation method

#### Additionnal details on the supplier of the product

TotalEnergies Marketing Botswana (Pty) Ltd Kgomokasitwa Road, Gaborone West Gaborone / BOTSWANA	TotalEnergies Marketing Burkina 1080, Avenue Kwame N'Krumah Ouagadougou / BURKINA FASO	TotalEnergies Marketing Cameroun 589, Boulevard de la Liberté Akwa - Douala B.P. 4048 Douala – Cameroun Téléphone : (237) 233 42 63 41	TOTAL CENTRAFRIQUE Avenue de l'Indépendance, BP 3295 Bangui / REPUBLIQUE CENTRAFRICAINE
TotalEnergies Marketing Congo S.A. Rue de la Corniche Brazzaville / CONGO	TotalEnergies Marketing Côte d'Ivoire Immeuble Rive Gauche, 100 Rue des brasseurs, Zone 3 01 BP 336 - Abidjan – CÔTE D'IVOIRE	TotalEnergies Marketing Egypt Corner St 254/206 Degla Maadi Cairo / EGYPT	TotalEnergies Marketing Ethiopia S.C. Sub City - Nefas Silk Lafto PO Box 1462 - Addis Abeba / ETHIOPIA Tel : 251 114 651 125

Date of revision : 2023/07/13 Africa ENGLISH Version :1 12/13



**SDS#:** 32127

ection 16. Other information						
TotalEnergies Marketing Guinea Ecuatorial Rotonda Estación de Servicios BP 647 Malabo / GUINEA ECUATORIAL Tel : +240 350 091 800	TotalEnergies Marketing Kenya PLC Regal Plaza, 6th Avenue Parklands, Limuru Road P.O. BOX 30736, 00100- NAIROBI – KENYA	TOTAL LESOTHO (PTY) LTD Motsoane Road, Industrial area Maseru / LESOTHO	TOTAL LIBERIA Clara town, Busrod Island Monrovia / LIBERIA			
TotalEnergies Marketing Madagasikara SA Immeuble Fitaratra, Ankorondrano 101 - Antananarivo - MADAGASCAR	TotalEnergies Marketing Malawi Ltd Private Bag 5125 Limbe, Blantyre Malawi	TotalEnergies Marketing Mali Hamdallaye ACI 2000 Rue 358 Immeuble Dakolo Bamako / MALI	TotalEnergies Marketing Gabon Blvd.de la République Libreville / GABON			
TotalEnergies Marketing Middle East FZE Burjuman Business Tower, 11th Floor Sheikh Khalifa Bin Zayed Road Dubai P.O. Box 14871 U.A.E Tel: +971 4 709 50 00 Fax: +971 4 351 91 54	TotalEnergies Marketing Tchad Parc des Hydrocarbures Route de Mara N'Djamena / TCHAD Tel : +235 22 52 92 09	TotalEnergies Marketing Maroc 146, Blvd. Mohamed Zerktouni Casablanca / MAROC	TOTAL MAURITANIE E nord- Lot n°110 Nouakhott / MAURITANIE			
TotalEnergies Marketing Mauritius Ltd Chaussée Tromelin, Quai D Port-Louis, MAURICE Tel: +230 207 56 00	TotalEnergies Marketing Mozambique SA Av. Sociedade de Geografia nº 83 Maputo / MOZAMBIQUE Tel: +258 21 30 72 30	TotalEnergies Marketing Namibia (Pty) Ltd 5 Otto Nitzsche Street, Klein Windhoek Windhoek / NAMIBIA	TOTAL NIGER Route de l'aéroport Niamey / NIGER			
TotalEnergies Marketing Ghana PLC 25 Liberia Road, P.O. BOX GP553 Accra / GHANA Tel : +233 302 611 530	TotalEnergies Marketing RDC SA 24, Avenue CADECO Place des Evolués KINSHASA / GOMBE	TotalEnergies Marketing Sénégal Route de l'aéroport, sur la station TotalEnergies de Ngor BP 355 Dakar / SENEGAL	TOTAL SIERRA LEONE Total house, 41 Main motor Road, Brookfields Freetown / SIERRA LEONE			
TotalEnergies Marketing South Africa (Pty)	TotalEnergies Marketing Eswatini (PTY) Ltd	TotalEnergies Marketing Tanzania Total House – Msasani Peninsula	TotalEnergies Marketing Togo			

TotalEnergies Marketing Tunisie Rue du Lac Huron 1053 Les Berges du Lac Tunis / TUNISIE

PO Box 579. Saxonwold. 2132 South Africa

3 Biermann Avenue

Tel: +27 860 111 111

Rosebank 2196

TotalEnergies Marketing Uganda Limited Plot 4, 8th Street, Industrial Area, P.O. Box 3079., Kampala, Uganda

TotalEnergies EP Nigeria Limited Plot 25, Trans Amadi Industrial Layout P.M.B 5160 and P.O.Box 696, Port Harcourt Nigeria

Haile Selassie road

Tel +255222927700

Plot no. 1720, PO Box 1503

Dar es salaam. Tanzania

TotalEnergies Marketing Zambia Ltd Great Fast Road Lusaka / ZAMBIA Tel: +260 211 374 403

Lomé / TOGO

TotalEnergies Marketing Zimbabwe Total House 1 Auckland Road - Southerton Harare / ZIMBABWE

Totalgaz Southern Africa (Pty) Ltd 2nd Floor, Tygervalley, Chambers Two Bellville, 7530 Western Cape - South Africa Tel: +27 21 941 4000

Fax: +27 21 941 4001

Manzini / ESWATINI

#### References

Tel: +263 242 754 481

: Not available.

Indicates information that has changed from previously issued version.

#### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of revision **ENGLISH** 13/13 : 2023/07/13 Africa Version :1